

# CAPITOLA PRE-DESIGNED ADU

### CITY OF CAPITOLA PRE-DESIGNED ADU PROGRAM

In an effort to streamline the ADU-building process, the City of Capitola has developed five Pre-Designed ADU plans, made available to homeowners for their use. In order for a building permit to be issued, these pre-designed plans shall be submitted to the City for each project, and are subject to the Limited Review (Level 1) Permitting Process.

The program offers five floorplans and three exterior design styles, designed for a typical lot within the city. Floorplans available are: Efficiency Studio (250 GSF); Standard Studio (300 GSF); Enlarged Studio (384 GSF); One Bedroom (450 GSF); and One Bedroom Plus (555 GSF), which includes the option to create a second bedroom within the footprint.

This program was funded using an SB2 Planning Grant, which provides funding and technical assistance to help local jurisdictions prepare, adopt, and implement plans and process improvements that streamline housing approvals and accelerate housing production.

### HOW TO USE THIS PLAN SET

Included within this plan set are a range of pre-designed architectural styles and exterior materials options, allowing Capitola homeowners to customize their ADU to best fit their needs. This plan set is intended to be used as-designed, without modification.

Also included are two options for Mechanical systems- an All-Electric system, or a Hybrid system (all-electric with the exception of an on-demand natural-gas water heater).

To complete the drawing set, project-specific information is required to be provided by the property owner. All owner-provided information will be entered on Sheets G0.0 and G0.1.

This plan set is considered "Pre-Designed" and does not include unique project or property-specific information. It is intended to be used as-designed, without modification.

In order to receive a building permit, applicants will need to submit a full application for review by the Planning and Building Departments. This will include the Pre-Designed ADU Plan Set, a site survey, an Administrative Permit Application (using the Master Planning Application), a Building Permit Application, and any other supplementary application materials that may be required based on their specific property and project. Refer to the City of Capitola Planning Department for your specific project requirements.

The Architectural and Electrical Plans for each exterior design option are self-contained within their own sheets. The contractor will reference the sheets for the chosen option during construction. Reference the Project Checklist on Sheet G0.0 for specific direction.

The Structural Plans, Architectural Details, Architectural Schedules (door, window, and fixture), Mechanical Plans, and Plumbing Plans are contained on specific sheets for these purposes. These sheets will be referenced for all exterior design options.

HOW TO ENTER PROJECT-SPECIFIC INFORMATION and APPLY FOR YOUR BUILDING PERMIT

- Enter PROJECT INFORMATION and a VICINTY MAP in the space provided on Sheet G0.0.
   Review the drawing set and choose your exterior design and mechanical system options.
- Mark your selected options on the PROJECT CHECKLIST on Sheet G0.0.

  Create your site plan showing where your ADU will be located on your property.
- Detailed instructions and space for your site plan are provided on Sheet G0.1.
- 4. Submit your application materials using the instructions on the City of Capitola website.
  5. A City of Capitola employee will contact you to discuss fees and project specifics.

### ADDITIONAL REQUIREMENTS

PLANNING DEPARTMENT

All submitted plan sets must be accompanied by the Capitola Master Planning Application. Properties within the Coastal Zone must list Coastal Development Permit within their application. All applications must include a site survey.

BUILDING DEPARTMENT

All Building Permit Applications must include the City's Construction Waste Management Plan.

### PROJECT DIRECTORY

ARCHITECT STRUCTURAL ENGINEER MECH/PLUMBING ENGINEER
WORKBENCH CM TAYLOR STRUCTURAL ZAL ENGINEERING

WORKBENCH
189 Walnut Avenue
Santa Cruz, CA 95060
831.227.2217
info@workbenchbuilt.com

CM TAYLOR STRUCTURAL ENGINEERING, INC 4245 Capitola Rd, Suite #204 Capitola, CA 95010 831.854.2484 contact@cmtaylorse.com

ZAL ENGINEERING
99 Pacific St, Suite #375G
Monterey, CA 93940
831.641.7739
contact@zalengineering.com

### PROJECT INFORMATION ENTER INFORMATION IN THE PROVIDED SPACE PARCEL INFORMATION APN STREET ADDRESS CITY, STATE, ZIP LOT SIZE (in SF) PRIMARY DWELLING SIZE The size of the existing primary dwelling in Square Feet The size of existing detached garage or other accessory **DETACHED GARAGE SIZE** PROPOSED ADU SIZE 555 SF (SQUARE FEET PARCEL LOCATED Parcels located within the Coastal Zone must include YES NO Coastal Development Permit in the Master Application WITHIN COASTAL ZONE PROJECT INFORMATION TYPE OF CONSTRUCTION - STANDARD/TYPE V OCCUPANCY GROUP - R3 MAIN RESIDENCE YES NO HAS FIRE SPRINKLERS PROPERTY OWNER NAME **ADDRESS** CITY, STATE, ZIP PHONE/EMAIL PROJECT CONTRACTOR **ADDRESS** CITY, STATE, ZIP

PROJECT CHECKLIST	CLEARLY MARK THE BOX FOR EACH SELECTION
ARCHITECTURAL STYLE (SELECT ONE)	
BEACH BUNGALOW  Vertical siding  Minimal roof overhang at eaves and rakes  Additional awning windows at front elevation	For this option, use the listed sheets and details: Architectural: A1.0, A1.1, A4.0, A5.0, A5.1, A5.2 Wall Assembly Details: A5.0 - TYPE E1
CALIFORNIA CRAFTSMAN  Horizontal lap siding Shingle siding and belly band Decorative window muntins in traditional grid layout	For this option, use the listed sheets and details: Architectural: A2.0, A2.1, A4.0, A5.0, A5.1, A5.2 Wall Assembly Details: A5.0 - TYPES E3, E4
COASTAL FARMHOUSE  Board-and-batten siding  Shingle siding and belly band for additional architectural interest  Decorative window muntins in contemporary grid layout	For this option, use the listed sheets and details: Architectural: A3.0, A3.1, A4.0, A5.0, A5.1, A5.2 Wall Assembly Details: A5.0 - TYPE E4
INTERIOR OPTIONS (SELECT CHOICES, IF OPTION IS E	DESIRED)
OPTIONAL CURBLESS SHOWER	Requires foundation coordination. See detail 4/A.

PHONE/EMAIL

OPTIONAL WALL AT GREAT ROOM

CODE COMPLIANCE (CHECK IF APPLICABLE)

**ELECTRIC WITH GAS HOT WATER HEATER** 

EXT. WALL WITHIN 0-5' OF PROPERTY LINE

EXT. WALL WITHIN 0-3' OF PROPERTY LINE

OWNER PROVIDED SITE PLAN COMPLETE

MECHANICAL SYSTEM (SELECT ONE)

ALL-ELECTRIC

SITE PLAN (REQUIRED)

:SIRED)	COASTAL
Requires foundation coordination. See detail 4/A5.2.	
Requires framing coordination. See detail 6/A5.2.	
	12 7
For this option, use the listed sheets and details: Mechanical and Plumbing: MP0.1, MP0.2, MP2.1E	
For this option, use the listed sheets and details: Mechanical and Plumbing: MP0.1, MP0.2, MP2.1H	
Within 0'-5' of Property Line, the wall assembly shall be 1-Hour Rated. Within 3'-5' of the Property Line, the area of openings shall be limited to 25% of the wall area. Within 0'-3' of the Property Line, all exterior openings shall be omitted.	
Complete Sheet G0.1, Owner-Provided Site Plan	

INSERT MAP SHOWING VICINITY OF PROJECT HERE, INCLUDING NEARBY STREETS

BEACH BUNGALOW EXTERIOR - PERSPECTIVE VIEW

VICINITY MAP NOT TO SCALE



ORNIA CRAFTSMAN EXTERIOR - PERSPECTIVE VIEW



COASTAL FARMHOUSE EXTERIOR - PERSPECTIVE VIEW



### SCOPE OF WORK

PERMIT APPLICATION SET

CONSTRUCTION OF A NEW, DETACHED 555 GROSS SQUARE FOOT (GSF) ACCESSORY DWELLING UNIT (ADU) ON THE SUBJECT PARCEL. ADU CONSISTS OF ONE BEDROOM, ONE BATHROOM, AND A LIVING AREA WITH A KITCHEN.
THE LIVING AREA MAY BE DIVIDED TO CREATE A SECOND BEDROOM-REFER TO PROJECT CHECKLIST.

### **DRAWING INDEX**

CHECK BOXES FOR THE OPTIONS

### GENERAL SHEETS

RCHITECTURAL

- GO.O PROJECT INFORMATION
- .1 OWNER-PROVIDED SITE PLAN
- G1.0 GENERAL NOTES
- A1.0 BEACH BUNGALOW FLOORPLAN & ELEVATIONS
- A1.1 BEACH BUNGALOW SECTIONS, RCP & ROOF PLAN
- A2.0 CRAFTSMAN FLOORPLAN & ELEVATIONS
- ☐ A2.1 CRAFTSMAN SECTIONS, RCP & ROOF PLAN
- A3.0 FARMHOUSE FLOORPLAN & ELEVATIONS
- A3.4 FARMHOUSE SECTIONS DOD 8 DOOF DI
- A3.1 FARMHOUSE SECTIONS, RCP & ROOF PLAN
- A4.0 SCHEDULES ONE BEDROOM PLUS
- A5.0 EXTERIOR WALL DETAILS
- A5.1 EXTERIOR DETAILS
- A5.2 INTERIOR DETAILS & WALL PARTITIONS
- RUCTURAL
- SO.0 STRUCTURAL NOTES

  SO.1 TYPICAL DETAILS
  - 1 TYPICAL DETAILS
- \$1.0 ROOF/CEILING FRAMING & FOUNDATION PLAN
- S1.1 FOUNDATION DETAILS
- 1.2 ROOF DETAILS
- IANICAL AND PLUMBING
- MPO.1 GENERAL NOTES
- MP0.2 SCHEDULES & GAS DIAGRAM & PLUMBING
- MP2.1E MECHANICAL & PLUMBING PLANS ELECTRIC
- MP2.1H MECHANICAL & PLUMBING PLANS HYBRID

### ENERGY COMPLIANCE/TITLE 24

- T24.17 TITLE 24 FORMS- ELECTRIC
- T24.18 TITLE 24 FORMS- ELECTRIC
  T24.19 TITLE 24 FORMS- HYBRID
- T24.20 TITLE 24 FORMS- HYBRID

### DEFERRED SUBMITTALS

PHOTOVOLTAIC SYSTEM

FIRE SPRINKLERS (WHERE REQUIRED - REFER TO BUILDING DEPT.)

### **BUILDING CODES USED**

- 1. 2019 California Building Code
- 2. 2019 California Residential Code
- 3. 2019 California Electrical Code
- 2019 California Plumbing Code 2019 California Mechanical Code
- 6. 2019 California Fire Code
- 2019 California Green Building Standards Code
- 8. 2019 California Energy Efficiency Standards Code

workbench

189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINA PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLA DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILIT' TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS

OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY O CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OF IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHE WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH,

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, THE RECIPIENT SHOULI NOT PROCEED BEYOND THIS DISCLAIMER.

APILOLA ESIGNED ADU

NOT FOR CONSTRUCTION

PROJECT INFORMATION

G0.0

SCALE : AS NOT

.

### FIRE RATING NOTES

WITHIN 3-5 FT OF PROPERTY LINE, THE WALL ASSEMBLY SHALL BE 19 RATED WITH THE AREA OF OPENINGS LIMITED TO 25% OF THE WALL

WITHIN 0-3 FT OF PROPERTY LINE, THE WALL ASSEMBLY SHALL BE 1-HOUR RATED AND ALL EXTERIOR OPENINGS MUST BE OMITTED.

REFERENCE A5.0 "FIRE RATING NOTES" FOR STANDARD 1-HR RATED WALL PER CBC TABLE 721.12, ITEM #15-1.12

# workbench

189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

RESPONSIBLE FOR TRANSLATION ERRORS.

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS.

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE

2. THE RECIPIENT RECOGNIZES AND ACKNOWLEDGES THAT THE USE OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH, DAMAGE OR LOSS TO PERSONS OR PROPERTY.

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, THE RECIPIENT SHOULD NOT PROCEED BEYOND THIS DISCLAIMER.

PRE-DESIGNED ADU

SITE PLAN CHECKLIST THE OWNER SHALL PROVIDE A DIMENSIONED AND SCALED SITE PLAN SHOWING THE BELOW INFORMATION	I. THIS CHECKLIST IS PROVIDED TO HELP GUIDE YOU THROUGH THE CREATION OF YOUR PROPERTY'S SITE PLAN.
SITE PLAN INFORMATION	EXPLANATION
DRAWING SCALE	SITE PLAN SHOULD BE DRAWN TO A MEASURABLE SCALE (FOR EXAMPLE, 1/8" = 1' OR 1" = 10'). INCLUDE A LABEL WITH THIS INFORMATION ON THE SITE PLAN.
PROPERTY LINES	SHOW OUTLINE OF PROPERTY USING DASHED LINE. DIMENSION EACH PROPERTY LINE WITH ITS RESPECTIVE LENGTH
LABELED YARDS	LABEL FRONT, REAR, SIDE YARDS, WALKWAYS, DRIVEWAYS, AND PATIO/OUTDOOR HARDSCAPE AREAS USING TEXT. LABEL ANY PROPOSED NEW PATHWAYS, PARKING SPACES, OR ACCESS ROUTES TO THE NEW ADU
SETBACKS OF EXISTING STRUCTURE AND NEW ADU FROM PROPERTY LINE - DIMENSIONED	"SETBACK" REFERS TO THE DISTANCE BETWEEN A BUILDING AND THE PROPERTY LINE OR BETWEEN TWO BUILDINGS. THE ADU SHOULD BE LOCATED 5'-0" FROM ANY SIDE/REAR PROPERTY LINES. IF THE EXTERIOR WALLS ARE FIRE RATED THE ADU MAY BE LOCATED 4'-0" FROM PROPERTY LINES. USING A DIMENSION LINE, INDICATE THE DISTANCE FROM THE ADU EXTERIOR WALLS TO THE PROPERTY LINE.
EASEMENTS (IF SUCH EXIST)	"EASEMENT" REFERS TO A PROPERTY RIGHT HELD BY A PARTY THAT IS NOT OWNER OF THE PROPERTY. THIS COULD INCLUDE ITEMS SUCH AS A RIGHT-OF-WAY OR UTILITY COMPANY EASEMENT.
LOCATION OF EXISTING UTILITIES AND PROPOSED NEW UTILITIES	NOTE AND LABEL THE LOCATION OF ANY UTILITY POLES, SEWER DRAINS/CLEANOUTS, ELECTRICAL PANELS, PHOTOVOLTAIC CONTROLS, AND GAS METERS/LINES WHICH EXIST ON THE PROPERTY OR ARE PROPOSED.
LABELED STREETS	SITE PLAN SHOULD SHOW THE STREET EDGE WITH THE STREET NAME LABELED. LABEL EXISTING SIDEWALK AND CURBS, IF SUCH EXIST.
PROPOSED LOCATION OF ADU ADDRESS NUMBERS	NOTE AND LABEL PROPOSED LOCATION OF ADU ADDRESS NUMBERS. NUMBERS SHALL BE VISIBLE FROM THE STREET, HIGH-CONTRAST, AND NO LESS THAN 4" IN HEIGHT. ADU WILL HAVE THE SAME ADDRESS NUMBER AS THE PRIMARY DWELLING, BUT BE DESIGNATED AS UNIT B.
FOOTPRINT OF EXISTING BUILDINGS	"FOOTPRINT" REFERS TO THE OUTLINE OF A BUILDING. SHOW THE FOOTPRINT OF ALL EXISTING BUILDINGS/STRUCTURES AND ANY ATTACHED DECKS OR PORCHES.
FOOTPRINT OF PROPOSED ADU	"FOOTPRINT" REFERS TO THE OUTLINE OF A BUILDING. SHOW THE PROPOSED LOCATION OF THE NEW ADU BY PLACING THE FOOTPRINT ON THE SITE PLAN WITH THE TEXT LABEL "PROPOSED ADU"
DIMENSION SHOWING MINIMUM SEPARATION SPACE BETWEEN ADU AND EXISTING STRUCTURES	USING A DIMENSION LINE, INDICATE IN FEET AND INCHES THE DISTANCE BETWEEN THE ADU AND ANY EXISTING DWELLINGS, GARAGES, SHEDS, OR OUTBUILDINGS.  REQUIRED SEPARATION BETWEEN BUILDINGS IS: a) 6'-0" MINIMUM: ADU WALL FACING MAIN HOUSE MUST HAVE 1 HOUR FIRE RATING AND NO OPENINGS (WINDOWS OR DOORS). IF ADU HAS AN OVERHANG, IT MUST ALSO  REFERE PATED, MAIN HOUSE WALL NOT NEED TO BE FIRE PATED. (b) 8' 0": 25% OPENINGS ALLOWED (WINDOWS OR DOORS).

BE FIRE RATED. MAIN HOUSE WALL NOT NEED TO BE FIRE RATED. b) 8'-0": 25% OPENINGS ALLOWED (WINDOWS OR DOORS) c) 10'-0": NO ADDITIONAL FIRE REQUIREMENTS

SITE PLAN LEGEND

USE THESE SYMBOLS TO DRAW AND ANNOTATE YOUR SITE PLAN

NORTH ARROW (INDICATES LOCATION OF NORTH)

DIMENSION LINE (SHOWS MEASUREMENT BETWEEN 2 PLANES)
LABEL WITH MEASUREMENT IN FEET AND INCHES

PROPERTY LINE (SHOWS OUTLINE OF PROPERTY)

DASHED LINE - USE FOR EASEMENTS, FENCES, PARKING SPOTS

SOLID LINE - USE TO SHOW OUTLINE OF EXISTING BUILDINGS,
EXTENTS OF DRIVEWAYS OR PATIOS

MAIN ST.

TEXT LABEL - USE TO LABEL DRAWING AS NEEDED

ARROW - USE FOR CALLOUTS AS NEEDED

NOT FOR NOT FOR CONSTRUCTION

> OWNER-PROVIDED SITE PLAN

> > G0.1





workbench

WORKBENCHBUILT.COM P: 831.227.2217

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS.

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE RESPONSIBLE FOR TRANSLATION ERRORS.

OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH, DAMAGE OR LOSS TO PERSONS OR PROPERTY.

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, THE RECIPIENT SHOULD NOT PROCEED BEYOND THIS DISCLAIMER.

(OPTION

### GRAPHIC LEGEND


FLOORPLAN LEGEND

(N) PARTITION

-(N) LIGHT SWITCH

(N) (N) OUTLET AT 18", U.O.N

CONCRETE SLAB (ARCHITECTURAL)



### FLOOR PLAN NOTES

- 1. Floor Plan dimensions are to face of scheduled partition or gridline, unless otherwise noted.
- 2. Gridlines are to edge of concrete, centerline of footing, or centerline of structural elements, unless otherwise noted.
- All INTERIOR walls are Type A1 unless otherwise noted.
- See Sheet A5.0 for EXTERIOR wall types and details. Provide hanger rod and shelf at wardrobe closets.
- 6. Where thresholds are required, provide accessible
- thresholds with maximum 1/2" elevation change.
- 7. Provide structural backing in walls to facilitate future installation of grab bars at toilet and shower.
- 8. Contractor to verify layout, rough framing and finish dims with owner's final interior doors and finish selections.

### **ELEVATION NOTES**

- 1. Elevation dimensions are to gridline or centerline of windows, unless otherwise noted.
- Gridlines are to edge of concrete, centerline of footing, or
- centerline of structural elements, unless otherwise noted. See Sheet A5.0 for EXTERIOR wall types and details.


Materials indicated are shown generically. Actual materials are as selected by the Owner.

NOT FOR CONSTRUCTION

BEACH BUNGALOW - FLOORPLAN & ELEVATIONS

ALE - AS NOTED

9/29/2022 11:15:12 AM



4 SECTION B - BEACH BUNGALOW 1/4" = 1'-0"

3 ROOF PLAN - BEACH BUNGALOW 1/4" = 1'-0"

IN-WALL BACKING PROVIDED FOR FUTURE ADA GRAB BARS <sup>|</sup> 33" - 36" A.F.F. —  $\begin{pmatrix} 4 \\ A5.0 \end{pmatrix}$ STORAGE ABOVE TOP PLATE 8' - 0" \_\_\_11 11 00.A3 -11 11 00.A10 GREAT ROOM FIN. FLOOR 0' - 0" 11 11 00.A13 ONAL CURBLESS SHOWER REQ. FOUNDATION DINATION. SEE DETAIL 4/A5.2 —

\A5.0 NO OVERHANG — GUTTER DOWNSPOUT 8' - 6 1/2" 8' - 6 1/2" 14' - 0 1/2" 8' - 6 1/2"/ 8' - 6 1/2" DOWNSPOUT — GUTTER 8' - 6 1/2" 8' - 6 1/2" 18' - 10" 12' - 10 1/2" 31' - 8 1/2"  $(\mathsf{B})$ 

INDIVIDUAL BRANCH CIRCUIT 150 AMP SUB-PANEL -18' - 10" 12' - 10 1/2" 31' - 8 1/2" В

1 RCP & ELECTRICAL PLAN - ONE BEDROOM PLUS 1/4" = 1'-0"

SECTION A - BEACH BUNGALOW

### KITCHEN LEGEND

<b>T.</b> 0	DECORIDETION
TAG	DESCRIPTION
CABINET WIDTH	
B12	12" BASE CABINET
B15	15" BASE CABINET
B30	30" BASE CABINET - SINK
U24	24" UPPER CABINET
U24	24" UPPER CABINET
U27	27" UPPER CABINET
U30	30" UPPER CABINET
UF27	27" UPPER CABINET - ABOVE FRIDGE
UM24	24" UPPER CABINET - ABOVE MICROWAVE
APPLIANCES	
11 11 00.A3	24" MICROWAVE / HOOD VENT COMBO UNIT
11 11 00.A4	24" DISHWASHER
11 11 00.A7	24" STACKED CLOTHES WASHER
11 11 00.A8	24" STACKED CLOTHES DRYER
11 11 00.A10	24" REFRIGERATOR
11 11 00.A13	24" ELECTRIC RANGE
PLUMBING	

### ROOF PLAN NOTES


22 40 00.A4

Roof dimensions taken from Roof Edge/Fascia to exterior face of

30" KITCHEN SINK/FAUCET

- plywood. Refer to referenced details for overhang dimensions. All roof areas shall be Class A Rated Composition Tiles or equal.
- Wood shingles shall not be used.
- Roof gutters shall be provided with means to prevent accumulation of
- leaves and debri in the gutter. Provide 26 Gauge Corrosion Resistant Metal Flashings at roof/wall
- intersections, gutters, and around roof openings. Gang vents whenever possible.
- Roofer and solar installer to coordinate installation for of PVs and PV Roof Clips.

# ELECTRICAL LEGEND



### REFLECTED CEILING PLAN LEGEND

GYP. BD. CLG., PTD. 8' - 0" FRAMED CEILING HEIGHT A.F.F.

- PHOTOELECTRIC CEILING MOUNTED SMOKE DETECTOR. HARDWIRED WITH BATTERY BACKUP. OWNER TO APPROVE SELECTION PRIOR TO PURCHASE. ALL SMOKE DETECTORS SHALL COMPLY WITH 2019 C.R.C. SECTION R314 AND SHALL BE 120V STATE FIRE MARSHAL APPROVED DEVICES INSTALLED IN ACCORDANCE WITH THEIR LISTING.
- CARBON MONOXIDE DETECTOR COMBINATION SMOKE DETECTOR AND CARBON MONOXIDE DETECTOR TO BE CEILING MOUNTED. HARDWIRED WITH BATTERY BACKUP. OWNER TO APPROVE SELECTION PRIOR TO PURCHASE. CARBON MONOXIDE ALARMS COMBINED WITH SMOKE ALARMS SHALL COMPLY WITH 2019 C.R.C. SECTION 315, ALL APPLICABLE STANDARDS, AND REQUIREMENTS FOR LISTINGS AND APPROVAL BY THE OFFICE OF THE STATE FIRE MARSHAL.

### REFLECTED CEILING PLAN NOTES

- Light fixture dimensions are to centerline of fixture and face of finish at wall. Provided totals of light fixtures are for reference only. Actual totals to be verified by contractor.
- 3. Smoke detectors shall be listed for use within 10 feet of a cooking appliance.

workbench

189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS.

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE RESPONSIBLE FOR TRANSLATION ERRORS.


2. THE RECIPIENT RECOGNIZES AND ACKNOWLEDGES THAT THE USE OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH, DAMAGE OR LOSS TO PERSONS OR PROPERTY.

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS. THE RECIPIENT SHOULD


NOT PROCEED BEYOND THIS DISCLAIMER.

(OPTION BEDROOM


**BEACH BUNGALOW -**SECTIONS, RCP & **ROOF PLAN** 







### GRAPHIC LEGEND



### FLOOR PLAN NOTES

- 1. Floor Plan dimensions are to face of scheduled partition or gridline, unless otherwise noted.
- 2. Gridlines are to edge of concrete, centerline of footing, or centerline of structural elements, unless otherwise noted.
- All INTERIOR walls are Type A1 unless otherwise noted.
- See Sheet A5.0 for EXTERIOR wall types and details.

  Provide hanger rod and shelf at wardrobe closets
- 5. Provide hanger rod and shelf at wardrobe closets.6. Where thresholds are required, provide accessible
- thresholds with maximum 1/2" elevation change.
- 7. Provide structural backing in walls to facilitate future installation of grab bars at toilet and shower.
- 8. Contractor to verify layout, rough framing and finish dims with owner's final interior doors and finish selections.

### **ELEVATION NOTES**

- 1. Elevation dimensions are to gridline or centerline of windows, unless otherwise noted.
- Gridlines are to edge of concrete, centerline of footing, or centerline of structural elements, unless otherwise noted.
- See Sheet A5.0 for EXTERIOR wall types and details.

 Materials indicated are shown generically. Actual materials are as selected by the Owner. workbench

189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

RESPONSIBLE FOR TRANSLATION ERRORS.

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS.

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE

2. THE RECIPIENT RECOGNIZES AND ACKNOWLEDGES THAT THE USE OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH,

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, THE RECIPIENT SHOULD

DAMAGE OR LOSS TO PERSONS OR PROPERTY.


AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, THE RECIPIENT SHOULD NOT PROCEED BEYOND THIS DISCLAIMER.


CAPITOLA
PRE-DESIGNED ADU


NOT FOR CONSTRUCTION

> CRAFTSMAN -FLOORPLAN & ELEVATIONS

A2.0







3 ROOF PLAN - CALIFORNIA CRAFTSMAN 1/4" = 1'-0"

INDIVIDUAL **BRANCH CIRCUIT** 150 AMP SUB-PANEL 12' - 10 1/2" 18' - 10" 31' - 8 1/2"

MICROWAVE/ HOOD

1) RCP & ELECTRICAL PLAN - ONE BEDROOM PLUS


### KITCHEN LEGEND

TAG	DESCRIPTION
CABINET WIDTH	1
B12	12" BASE CABINET
B15	15" BASE CABINET
B30	30" BASE CABINET - SINK
U24	24" UPPER CABINET
U24	24" UPPER CABINET
U27	27" UPPER CABINET
U30	30" UPPER CABINET
UF27	27" UPPER CABINET - ABOVE FRIDGE
UM24	24" UPPER CABINET - ABOVE MICROWAVE
APPLIANCES	
11 11 00.A3	24" MICROWAVE / HOOD VENT COMBO UNIT
11 11 00.A4	24" DISHWASHER
11 11 00.A7	24" STACKED CLOTHES WASHER
11 11 00.A8	24" STACKED CLOTHES DRYER
11 11 00.A10	24" REFRIGERATOR
11 11 00.A13	24" ELECTRIC RANGE
PLUMBING	
22 40 00.A4	30" KITCHEN SINK/FAUCET

### ROOF PLAN NOTES

- Roof dimensions taken from Roof Edge/Fascia to exterior face of
- plywood. Refer to referenced details for overhang dimensions. All roof areas shall be Class A Rated Composition Tiles or equal.
- Wood shingles shall not be used.
- Roof gutters shall be provided with means to prevent accumulation of
- leaves and debri in the gutter. Provide 26 Gauge Corrosion Resistant Metal Flashings at roof/wall
- intersections, gutters, and around roof openings. Gang vents whenever possible.
- Roofer and solar installer to coordinate installation for of PVs and PV

### ELECTRICAL LEGEND



### REFLECTED CEILING PLAN LEGEND



3-WAY SWITCH

8' - 0" FRAMED CEILING HEIGHT A.F.F.

- PHOTOELECTRIC CEILING MOUNTED SMOKE DETECTOR. HARDWIRED WITH BATTERY BACKUP. OWNER TO APPROVE SELECTION PRIOR TO PURCHASE. ALL SMOKE DETECTORS SHALL COMPLY WITH 2019 C.R.C. SECTION R314 AND SHALL BE 120V STATE FIRE MARSHAL APPROVED DEVICES INSTALLED IN ACCORDANCE WITH THEIR LISTING.
- CARBON MONOXIDE DETECTOR COMBINATION SMOKE DETECTOR AND CARBON MONOXIDE DETECTOR TO BE CEILING MOUNTED. HARDWIRED WITH BATTERY BACKUP. OWNER TO APPROVE SELECTION PRIOR TO PURCHASE. CARBON MONOXIDE ALARMS COMBINED WITH SMOKE ALARMS SHALL COMPLY WITH 2019 C.R.C. SECTION 315, ALL APPLICABLE STANDARDS, AND REQUIREMENTS FOR LISTINGS AND APPROVAL BY THE OFFICE OF THE STATE FIRE MARSHAL.

### REFLECTED CEILING PLAN NOTES

- Light fixture dimensions are to centerline of fixture and face of finish at wall.
- Provided totals of light fixtures are for reference only. Actual totals to be verified by contractor.
- 3. Smoke detectors shall be listed for use within 10 feet of a cooking appliance.

workbench

189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS.


1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE RESPONSIBLE FOR TRANSLATION ERRORS.

2. THE RECIPIENT RECOGNIZES AND ACKNOWLEDGES THAT THE USE OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH, DAMAGE OR LOSS TO PERSONS OR PROPERTY.

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS. THE RECIPIENT SHOULD NOT PROCEED BEYOND THIS DISCLAIMER.

(OPTION BEDROOM

CRAFTSMAN -SECTIONS, RCP & **ROOF PLAN** 





189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS  $\label{lem:conditions} \mbox{ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS}.$ 

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE RESPONSIBLE FOR TRANSLATION ERRORS.

OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH, DAMAGE OR LOSS TO PERSONS OR PROPERTY.

3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES NOT AGREE WITH THE ABOVE CONDITIONS, THE RECIPIENT SHOULD NOT PROCEED BEYOND THIS DISCLAIMER.

(OPTION

### GRAPHIC LEGEND


FLOORPLAN LEGEND

(N) PARTITION

(N) (N) OUTLET AT 18", U.O.N

- $\mathbf{\Theta}_{-}$ (N) LIGHT SWITCH

CONCRETE SLAB (ARCHITECTURAL)



### FLOOR PLAN NOTES

- 1. Floor Plan dimensions are to face of scheduled partition or gridline, unless otherwise noted.
- 2. Gridlines are to edge of concrete, centerline of footing, or centerline of structural elements, unless otherwise noted. All INTERIOR walls are Type A1 unless otherwise noted.
- See Sheet A5.0 for EXTERIOR wall types and details.
- Provide hanger rod and shelf at wardrobe closets. Where thresholds are required, provide accessible
- thresholds with maximum 1/2" elevation change.
- 7. Provide structural backing in walls to facilitate future installation of grab bars at toilet and shower.
- 8. Contractor to verify layout, rough framing and finish dims with owner's final interior doors and finish selections.


### **ELEVATION NOTES**


1. Elevation dimensions are to gridline or centerline of windows, unless otherwise noted.


materials are as selected by the Owner.

- Gridlines are to edge of concrete, centerline of footing, or
- centerline of structural elements, unless otherwise noted. See Sheet A5.0 for EXTERIOR wall types and details. 4. Materials indicated are shown generically. Actual


FARMHOUSE -FLOORPLAN & **ELEVATIONS** A3.0







3 ROOF PLAN - COASTAL FARMHOUSE 1/4" = 1'-0"



1) RCP & ELECTRICAL PLAN - ONE BEDROOM PLUS 1/4" = 1'-0"

POWER FOR MICROWAVE/ HOOD

### KITCHEN LEGEND

TAG	DESCRIPTION
CABINET WIDTH	
B12	12" BASE CABINET
B15	15" BASE CABINET
B30	30" BASE CABINET - SINK
U24	24" UPPER CABINET
U24	24" UPPER CABINET
U27	27" UPPER CABINET
U30	30" UPPER CABINET
UF27	27" UPPER CABINET - ABOVE FRIDGE
UM24	24" UPPER CABINET - ABOVE MICROWAVE
APPLIANCES	
11 11 00.A3	24" MICROWAVE / HOOD VENT COMBO UNIT
11 11 00.A4	24" DISHWASHER
11 11 00.A7	24" STACKED CLOTHES WASHER
11 11 00.A8	24" STACKED CLOTHES DRYER
11 11 00.A10	24" REFRIGERATOR
11 11 00.A13	24" ELECTRIC RANGE
PLUMBING	

### ROOF PLAN NOTES

22 40 00.A4

Roof dimensions taken from Roof Edge/Fascia to exterior face of


30" KITCHEN SINK/FAUCET

- plywood. Refer to referenced details for overhang dimensions. All roof areas shall be Class A Rated Composition Tiles or equal.
- Wood shingles shall not be used.
- Roof gutters shall be provided with means to prevent accumulation of
- leaves and debri in the gutter. Provide 26 Gauge Corrosion Resistant Metal Flashings at roof/wall
- intersections, gutters, and around roof openings.
- Gang vents whenever possible. Roofer and solar installer to coordinate installation for of PVs and PV Roof Clips.

## ELECTRICAL LEGEND

0	CEILING-MOUNTED EXHAUST UNIT	\$ <sub>MS</sub>	MOTION-SENSOR SWITCH
$\Rightarrow$	DUPLEX RECEPTACLE	\$vs	VACANCY SWITCH
	QUAD RECEPTACLE	\$ <b>F</b>	FAN SWITCH/HUMIDITY SENSOR
GFCI	GFCI RECEPTACLE		SWITCH LEG
	220 VOLT RECEPTACLE OUTLET		WHOLE HOUSE VENTILATION FA
	DEDICATED OUTLET		PER ASHRAE 62.2, DUCT TO EXTERIOR PER MANUFACTURER
	RECESSED LED DOWN LIGHT		SPECIFICATIONS
$\frac{Q}{T}$	WALL MOUNT LIGHT		
	LED STRIP LIGHT		
\$	SWITCH		
\$ <sub>D</sub>	DIMMER SWITCH		

### REFLECTED CEILING PLAN LEGEND



3-WAY SWITCH

8' - 0" FRAMED CEILING HEIGHT A.F.F.

- PHOTOELECTRIC CEILING MOUNTED SMOKE DETECTOR. HARDWIRED WITH BATTERY BACKUP. OWNER TO APPROVE SELECTION PRIOR TO PURCHASE. ALL SMOKE DETECTORS SHALL COMPLY WITH 2019 C.R.C. SECTION R314 AND SHALL BE 120V STATE FIRE MARSHAL APPROVED DEVICES INSTALLED IN ACCORDANCE WITH THEIR LISTING.
- CARBON MONOXIDE DETECTOR COMBINATION SMOKE DETECTOR AND CARBON MONOXIDE DETECTOR TO BE CEILING MOUNTED. HARDWIRED WITH BATTERY BACKUP. OWNER TO APPROVE SELECTION PRIOR TO PURCHASE. CARBON MONOXIDE ALARMS COMBINED WITH SMOKE ALARMS SHALL COMPLY WITH 2019 C.R.C. SECTION 315, ALL APPLICABLE STANDARDS, AND REQUIREMENTS FOR LISTINGS AND APPROVAL BY THE OFFICE OF THE STATE FIRE MARSHAL.

### REFLECTED CEILING PLAN NOTES

- Light fixture dimensions are to centerline of fixture and face of finish at wall.
- Provided totals of light fixtures are for reference only. Actual totals to be verified by contractor.
- 3. Smoke detectors shall be listed for use within 10 feet of a cooking appliance.



189 WALNUT AVENUE SANTA CRUZ, CA 95060 WORKBENCHBUILT.COM P: 831.227.2217

BY USING THESE PRE-DESIGNED ADU PLANS, THE RECIPIENT IS ACKNOWLEDGING ACCEPTANCE OF THE FOLLOWING CONDITIONS.

1. THE USE OF THIS INFORMATION IS RESTRICTED TO THE ORIGINAL PROJECT FOR WHICH IT WAS PREPARED (THE PRE-DESIGNED ADU PLANS FOR THE CITY OF CAPITOLA CALIFORNIA). USE OF THESE PLANS DOES NOT ELIMINATE OR REDUCE THE RECIPIENT'S RESPONSIBILITY TO VERIFY ANY AND ALL INFORMATION RELEVANT TO THE RECIPIENT'S WORK AND RESPONSIBILITY ON THIS PROJECT. WORKBENCH AND/OR THE CITY OF CAPITOLA SHALL NOT BE RESPONSIBLE FOR TRANSLATION ERRORS.

2. THE RECIPIENT RECOGNIZES AND ACKNOWLEDGES THAT THE USE OF THIS INFORMATION WILL BE AT THEIR SOLE RISK AND WITHOUT ANY LIABILITY OR LEGAL EXPOSURE TO WORKBENCH OR THE CITY OF CAPITOLA. NO WARRANTIES OF ANY NATURE, WHETHER EXPRESS OR IMPLIED, SHALL ATTACH TO THESE DOCUMENTS AND THE INFORMATION CONTAINED THEREON. ANY USE, REUSE, OR ALTERATION OF THESE DOCUMENTS BY THE RECIPIENT OR BY OTHERS WILL BE AT THE RECIPIENT'S RISK AND FULL LEGAL RESPONSIBILITY. FURTHERMORE, THE RECIPIENT WILL, TO THE FULLEST EXTENT PERMITTED BY LAW, INDEMNIFY AND HOLD WORKBENCH AND THE CITY OF CAPITOLA HARMLESS FROM ANY AND ALL CLAIMS, SUITS, LIABILITY, DEMANDS, JUDGEMENTS, OR COSTS ARISING OUT OF OR RESULTING THERE FROM ON ACCOUNT OF ANY INJURY, DEATH,

DAMAGE OR LOSS TO PERSONS OR PROPERTY. 3 THE DESIGNS REPRESENTED BY THESE PLANS ARE COPYRIGHTED AND SUBJECT TO COPYRIGHT PROTECTION. IF THE RECIPIENT DOES

NOT AGREE WITH THE ABOVE CONDITIONS. THE RECIPIENT SHOULD NOT PROCEED BEYOND THIS DISCLAIMER.

# BEDROOM

FARMHOUSE -SECTIONS, RCP & **ROOF PLAN**